

Notice of Allowability

Application No.

10/527,926

Examiner

Reena Aurora

Applicant(s)

BENIMELI ET AL.

Art Unit

2862

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendment received on 07/03/07.
2. ☒ The allowed claim(s) is/are 5 - 8.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some* c) ☐ None of the:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.


THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material

5. ☐ Notice of Informal Patent Application
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____


REENA AURORA
PRIMARY EXAMINER
TECHNOLOGY CENTER 2800

DETAILED ACTION

This communication is in response to amendment received on 07/03/07.

Claims 5 – 8 are presented for examination.

Allowable Subject Matter

Claims 5 – 8 are allowed.

The following is an examiner's statement of reasons for allowance: As to claims 5 and 6, the prior art fails to show a second position being at a distance from the closest end position of more than 1.5 times the average value of the spacing between consecutive positions to deduce a second profile for the variation of the resistivity along the axial direction and then to correct the first profile by replacing resistivity values of the first profile for the first axial positions by resistivity values of the second profile when the resistivity values of the second profile at the same first axial positions are greater than the first values, the profile thus corrected forming the improved profile. These features taken together with the other limitations of the claim renders the claims allowable over prior art.

As to claim 7, the prior art fails to show the spacing between a secondary electrode and the closest primary end electrode being more than 1.5 times the average spacing between the primary electrodes and the spacings between the primary electrodes are equal to 40 and 80 cm, the secondary electrodes being at spacings of between 240 and 560 cm. These features taken together with the other limitations of the claim render the claim allowable over prior art.

As to claim 8, the prior art fails to show the spacing between a secondary electrode and the closest primary end electrode being more than 1.5 times the average spacing between the primary electrodes and the spacings between the primary electrodes are about 60 cm, the secondary electrodes being at spacings of between 300 and 420 cm. These features taken together with the other limitations of the claim render the claim allowable over prior art.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Reena Aurora whose telephone number is 571-272-2263. The examiner can normally be reached on Monday - Friday, 7:00 - 3:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, P. Assouad can be reached on 571-272-2210. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2862

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Reena Aurora


REENA AURORA
PRIMARY EXAMINER
TECHNOLOGY CENTER 2800